Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	368822	((activat\$3 or run\$4 or start\$3) near20 stor\$3 while near20 (memory or CPU) near20 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:40
S2	0	((activat\$3 or run\$4 or start\$3) near20 stor\$3 near20 while near20 (memory or CPU) near20 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:42
S3	0	((activat\$3 or run\$4 or start\$3) near20 stor\$3 same (while near20 (memory or CPU) near20 idle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:41
S4	0	stor\$3 same (while near20 (memory or CPU) near20 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:41
S5	0	(while near20 (memory or CPU) near20 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:41
S6	607	((transfer\$3 or send\$3 or forward\$3) near20 (information or data or content or message) ) with (idle near5 (cpu or memory ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:45
S7	581	((transfer\$3 or send\$3 or forward\$3) near20 (information or data or content or message) ) near20(idle near5 (cpu or memory ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:45

S8	0	((transfer\$3 or send\$3 or forward\$3) near20 (information or data or content or message) ) near20(idle near5 (cpu or memory )) same while	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:45
S9	525	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or memory ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:45
S10	69	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or memory )) near20 storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:46
S11	128	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or memory )) near20 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2008/01/03 14:48
S12	0	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or memory )) near20 stor\$3 near20 (while remain stay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:47
S13	0	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or memory )) near20 stor\$3 near20 (while remain stay keep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2008/01/03 14:47
S14	66	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) ) near20(idle near5 (cpu or processor)) near20 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:48

S15	15	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) near10 (memory or cache)) near20(idle near5 (cpu or processor)) near20 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:50
S16	58	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) near10 (memory or cache storage)) near20(idle near5 (cpu or processor)) near20 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:50
S17	134	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) near10 (memory or cache storage)) near20(idle near5 (cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:50
S18	58	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) near10 (memory or cache storage)) near20(idle near5 (cpu or processor)) near20 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 14:51
S19	10	((transfer\$3 or send\$3 or forward\$3) near10 (information or data or content or message) near10 (memory or cache storage)) near20(idle near5 (cpu or processor)) near20 stor\$3 same (idle near5 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:13
S20	8188	(idle near5 (cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:34
S21	810	(idle near5 (cpu or processor)) same (idle near5 (storage or memory or cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:16

S22	661	(idle near5 (cpu or processor)) near20 (idle near5 (storage or memory or cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:16
S23	33	(idle near5 (cpu or processor)) near20 (idle near5 (storage or memory or cache)) near20 ((transfer\$4 or send\$3 or forward\$3) near10 (data or information or content message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:44
S24	5	(idle near5 (cpu or processor)) near20 (idle near5 (storage or memory or cache)) near20 ((transfer\$4 or send\$3 or forward\$3) near10 (data or information or content message)) same (activat\$3 execut\$3 run\$4 return\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:18
S25	1	"6725348".pn. and (idle near5 (cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:49
S26	3761	(idle adj4(cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:50
S27	8718	(idle near6 (cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:51
S28	1075	(idle near6 (cpu or processor)) same (idle near6 (storage memory cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:51

S29	979	(idle near6 (cpu or processor)) with (idle near6 (storage memory cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:51
S30	12109	(idle near6 (cpu or processor)) with (activat\$3 receiv\$3 sav\$3 stor\$3 keep\$3 execut\$3) (idle near6 (storage memory cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:52
S31	372	(idle near6 (cpu or processor)) with (activat\$3 receiv\$3 sav\$3 stor\$3 keep\$3 execut\$3) near20(idle near6 (storage memory cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:53
S32	335	(idle near6 (cpu or processor)) near20(activat\$3 receiv\$3 sav\$3 stor\$3 keep\$3 execut\$3) near20(idle near6 (storage memory cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:53
S33	192	(idle near6 (cpu or processor)) near20(activat\$3 receiv\$3 sav\$3 stor\$3 keep\$3 execut\$3) near20(idle near6 (storage memory cache)) and (transfer\$3 near5 (data information content message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:54
S34	25	(idle near6 (cpu or processor)) near20(activat\$3 receiv\$3 sav\$3 stor\$3 keep\$3 execut\$3) near20(idle near6 (storage memory cache)) same (transfer\$3 near5 (data information content message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:15
S35	130	(DMA or (direct adj3 memory adj3 access)) near20 (sleep\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/03 16:16

S36	0	(DMA or (direct adj3 memory adj3 access)) near20 (sleep\$3) same (idle near10 (cpu processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:17
S37	276	(DMA or (direct adj3 memory adj3 access)) same (idle near10 (cpu processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:17
S38	156	(DMA or (direct adj3 memory adj3 access)) near20 (idle near10 (cpu processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:17
S39	27	(DMA or (direct adj3 memory adj3 access)) near20 (idle near10 (cpu processor)) near20 ((information or content data) near5 transfer\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:28
S40	6	(DMA or (direct adj3 memory adj3 access)) near20 (idle near10 (storage)) near20 ((information or content data) near5 transfer\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:33
S41	1	(DMA or (direct adj3 memory adj3 access)) near20 (idle near5(storage)) near20 ((information or content data) near5 transfer\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:29
S42	11715	(idle or sleep) near5 (storage or memory ram rom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:33

S43	124	activat\$3 near5 (idle or sleep) near5 (storage or memory ram rom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:36
S44	30	S43 and "47"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:35
S45	0	S43 same "47"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:35
S46	0	S43 and "l47"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:35
S47	0	S43 and "I47"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:36
S48	0	S43 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:36
S49	11	activat\$3 near5 (idle or sleep) near5 (storage or memory ram rom) and (idle near10 (cpuy processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:36

			*			
S50	15	activat\$3 near5 (idle or sleep) near5 (storage or memory ram rom) and (idle near10 (cpu processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:42
S51	5	activat\$3 near5 (idle or sleep) near5 (storage or memory ram rom) same (idle near10 (cpu processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:37
S52	124	activat\$3 near5 (idle or sleep) near5 (storage or memory ram rom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:42
S53	4608	(wak\$3 activat\$3) near10 (idle )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:43
S54	136	(wak\$3 activat\$3) near10 (idle near5 (storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:44
S55	12	(wak\$3 activat\$3) near10 (idle near5 (storage or memory)) same (data near10 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/03 17:47
S56	11	(activat\$3) near10 (idle near5 (storage or memory)) same (data near10 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:47

S57	131	(activat\$3) near10 (idle near5 (storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 17:47
S58	7	(activat\$3) near10 (idle near5 (storage or memory)) near25 transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:00
S59	12	(activat\$3 or run\$3) near10 (idle near5 (storage or memory)) near25 transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:03
S60	210	(activat\$3 or run\$3) near10 (idle near5 (storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:04
S61	131	(activat\$3 ) near10 (idle near5 (storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:04
S62	7	(activat\$3 ) near10 (idle near5 (storage or memory)) with (processor cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2008/01/03 18:05
S63	73	(idle near5 (storage or memory)) near10 transfer\$4 near20 data same (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:06

S64	38	(idle near5 (storage or memory)) near10 transfer\$4 near20 data near20 (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:16
S65	2	(idle near5 (storage or memory)) near10 transfer\$4 near20 data near20 (processor or cpu)same dma	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:06
S66	44	(idle near5 (storage or memory buffer)) near10 transfer\$4 near20 data near20 (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2008/01/03 18:17
S67	0	activat\$3 near10(idle near5 (storage or memory buffer)) near10 transfer\$4 near20 data near20 (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:17
S68	0	activat\$3 near10(idle near5 (storage or memory buffer)) same transfer\$4 near20 data near20 (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2008/01/03 18:17
S69	16	activat\$3 near10(idle near5 (storage or memory buffer)) same (processor or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:25
S70	278	control\$4 same activat\$3 same (idle near5 ( storage or memory or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/03 18:26

S71	58	control\$4 with activat\$3 with (idle near5 ( storage or memory or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/03 18:26
S72	58	(control\$4 or dma) with activat\$3 with (idle near5 ( storage or memory or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 18:27
S73	3	(control\$4 or dma) with activat\$3 with (idle near5 ( storage or memory or buffer)) same power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:01
S74	969	(DMA or (memory near3 controller) or (direct adj3 memory adj3 access\$3)) with ((idle sleep inactive) near5 (memory or "RAM" "ROM" or storage disk cache buffer database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:06
S75	32	(DMA or (memory near3 controller) or (direct adj3 memory adj3 access\$3)) with ((idle sleep inactive) near5 (memory or "RAM" "ROM" or storage disk cache buffer database)) same ((idle or inactive sleep) adj3 (cpu or processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:07
S76	14	(DMA or (memory near3 controller) or (direct adj3 memory adj3 access\$3)) with ((idle sleep inactive) near5 (memory or "RAM" "ROM" or storage disk cache buffer database)) same ((idle or inactive sleep) adj3 (cpu or processor))same transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:28
S77		activat\$3 near10 storage same during same power same outage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:46

S78	543	activat\$3 near10 storage same during same power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:32
S79		activat\$3 near5 (memaory buffer storage) same during same power same outage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:46
S80	3	activat\$3 near5 (memaory buffer storage) same (while during) same power same outage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:47
S81	1	activat\$3 near5 (memaory buffer storage) same (while during) same ((processor cpu) near5 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:47
S82	3	activat\$3 near5 (memory buffer storage) same (while during) same ((processor cpu) near5 idle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 21:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	"20070234339" and (activat\$3 with memory)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 10:57
L4	1	"20070234339" and (activat\$3 with memory) and (transfer\$4 with memory)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 10:57
L5	1	"20070234339" and (activat\$3 with memory) same (transfer\$4 with memory)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:30
L6	828	((idle or sleep or inactive) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:04
L7	60	L6 and ((activat\$3 or (turn adj on) or power or (switch adj on) or awak\$3 or wake) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 12:34
L8	4	L7 and (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:08
L9	90	L6 and (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:09
L10	13	L6 same (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:11
L11	95	(complet\$3 near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:11
L12	33	(storage memory buffer) same (complet\$3 near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:23
L13	2	(storage memory buffer) with (complet\$3 near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR -	ON	2008/01/06 11:12
L14	2	(storage memory buffer) near30 (complet\$3 near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:12

					1	
L15	34	(storage memory buffer) same ((end\$3 complet\$3 or finish\$3) near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:14
L16	2	(storage memory buffer) with ((end\$3 complet\$3 or finish\$3) near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:12
L17	95	(complet\$3 near5 transfer\$4) with (return\$3 near10 (inactive or idle ) near5 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:24
L18	0	(complet\$3 near5 transfer\$4) with (return\$3 near10 resource near10 (inactive or idle ) near5 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:24
L19	0	(complet\$3 near5 transfer\$4) with (return\$3 near10 resource near10 (inactive or idle ) near5 (state or mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:24
L20.	1.	(complet\$3 near5 transfer\$4) with (return\$3 near10 (buffer resource momory processor) near10 (inactive or idle ) near5 (state or mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:25
L21	1	"20070234339" and return\$3 with (idle ir inactive)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:31
L22	1	"20070234339" and return\$3 with (idle or inactive)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:31
L23	. 1	"20070234339" and return\$3 with (idle or inactive)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:31
L24	13	L6 and ((activat\$3 or (turn adj on) or power or (switch adj on) or awak\$3 or wake) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward) and (direct\$3 near10 power\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 12:35

L25	0	L6 and ((activat\$3 or (turn adj on) or power or (switch adj on) or awak\$3 or wake) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward) same (direct\$3 near10 power\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 12:35
S1	13	((TONY) near2 (HAMILTON)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 10:15
S2	. 1	((MARC) near2 (THEBERGE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 10:37
S3	1	"6223208".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 10:37
S4	14	("5008812"   "5197138"   "5349656"   "5357617"   "5404469"   "5428779"   "5713038"   "5872985").PN. OR ("6223208"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 10:37
S5	0	S4 and ((idle or sleep or inactive) near3 (storage or memory or register or buffer)) same (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:44
S6	0	S4 and ((idle or sleep or inactive) near3 (storage or memory or register or buffer))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:39
S7	7	S4 and ((idle or sleep or inactive) same (storage or memory or register or buffer))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:40
S8	6	S4 and ((idle or sleep or inactive) with (storage or memory or register or buffer))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:40
S9	2254	((idle or sleep or inactive) near3 (storage or memory or register or buffer)) same (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:45
S10	828	((idle or sleep or inactive) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/04 10:46
S11	60	S10 and ((activat\$3 or (turn adj on) or power or (switch adj on) or awak\$3 or wake) near3 (storage or memory or register or buffer)) with (transfer or copy or move or forward)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/06 11:04